



PATENT

Combo Multi-valve designed for 450kg LPG Cylinder

Easy maintenance

Built-in excess flow valve

Easy handling with a single lever


High capacity liquid fill rate 140 Liters/min*

Shut off ball valve with a built-in PRV equalizer



Less connections Less leakage points

Adapters & Tubes



Adapters & Tubes

Valves

	Part Number	Inlet Connection	Filling Connection	Offtake valve male	Dip Tube	Withdrawal Tube	Eduction Tube
1	6704901081	1″-1/2x11.5 NPT	1"-3/4-6 ACME-G 3/4"-14 NPT		10-32 UNF-2A	M16x1 - 6g	M17x1 - 6g

Adapters

	Part Number	Inlet Connection	Outlet Connection	Description
2	6602901416	1"-5/8-12 UN-2A	M36x2-6g	Liquid outlet valve Adap <mark>ter</mark>
3	6602901401	1"-5/8-12 UN-2A	3/4"-14 NPT	Liquid outlet valve Adapt <mark>er</mark>
4	6602901423	1"-5/8-12 UN-2A	Fast Connection	QRC with bleeder valve
5	1009500327	1"-3/4-6 ACME 2G	1/2"-14 NPT	Emergency Evacuation Adapt <mark>er</mark>


Spray Tube

	Part Number	Connection	Tube Length (L)			
6	1201101095	M17x1-6g	133 mm			

OPD

		Part Number	Connection	Tube Length (L)	OPD Shutoff		Dip Tube		Withdrawal Tube		Tube
					level		Thread and Material	Length (L)		Thread and Material	Length (L)
7	7	1609500391		297 mm	367 mm	8	10-32 UNF-	394 mm	Q	M16x1 - 6g Fe360	~1492 mm
	1609500392	3/0-10 NP1	289 mm	359 mm		2A Brass	386 mm		EN10305-3	~1470 mm	

Spare Parts Available



www.cavagnagroup.com