



Combo Multi-valve

designed for 450kg LPG Cylinder

**PATENT
PENDING**




Easy
maintenance

Built-in excess
flow valve

Easy handling with a
single lever


High capacity liquid
fill rate 140 Liters/min*

Shut off ball valve with a
built-in PRV equalizer



Less connections
=
Less leakage points

Adapters & Tubes



Adapters & Tubes

Valves

| | Part Number | Inlet Connection | Filling Connection | Offtake valve male | Dip Tube | Withdrawal Tube | Education Tube |
|---|-------------|------------------|--------------------|--------------------|--------------|-----------------|----------------|
| 1 | 6704901081 | 1"-1/2x11.5 NPT | 1"-3/4-6 ACME-G | 3/4"-14 NPT | 10-32 UNF-2A | M16x1 - 6g | M17x1 - 6g |

Adapters

| | Part Number | Inlet Connection | Outlet Connection | Description |
|---|-------------|------------------|-------------------|------------------------------|
| 2 | 6602901416 | 1"-5/8-12 UN-2A | M36x2-6g | Liquid outlet valve Adapter |
| 3 | 6602901401 | 1"-5/8-12 UN-2A | 3/4"-14 NPT | Liquid outlet valve Adapter |
| 4 | 6602901423 | 1"-5/8-12 UN-2A | Fast Connection | QRC with bleeder valve |
| 5 | 1009500327 | 1"-3/4-6 ACME 2G | 1/2"-14 NPT | Emergency Evacuation Adapter |


Spray Tube and OPD

| | Part Number | Connection | Tube Length (L) | OPD Shutoff level | Description |
|---|-------------|-------------|-----------------|-------------------|-------------|
| 6 | 1201101095 | M17x1-6g | 133 mm | - | Spray Tube |
| 7 | 1609500391 | 3/8"-18 NPT | 297 mm | 367 mm | OPD |
| | 1609500392 | | 289 mm | 359 mm | |

Dip and Withdrawal tubes

| | Dip Tube Part Number | Dip Tube Thread and Material | Dip Tube Length (L) | | Withdrawal Tube Part Number | Withdrawal Thread and Material | Withdrawal Tube Length (L) |
|---|----------------------|------------------------------|---------------------|---|-----------------------------|--------------------------------|----------------------------|
| 8 | 1201101811 | 10-32 UNF-2A Brass | 192 mm | 9 | 1201101810 | M16x1 - 6g Fe360 EN10305-3 | 636 mm |
| | 1201101773 | | 269 mm | | 1201101771 | | 1025 mm |
| | 1201101774 | | 306 mm | | 1201101772 | | 1224 mm |

Spare Parts Available



Components may be replaced without emptying the cylinder.



Lever



Fixed level gauge



Filler Valve



Evacuation Valve

| Part Number | Description |
|-------------|--------------------------|
| 3001102995 | Lever |
| 6602901366 | Fixed Liquid Level Gauge |
| 6901900121 | Evacuation valve |
| 6602901400 | Filler Valve |



CAVAGNA group

Wherever gas is used, we are there

CAVAGNA GROUP SPA

Via Statale 11/13 - Frazione Ponte San Marco

25011 Calcinato - Brescia (Italy)

Tel. 0039 030 9663111

info@cavagnagroup.com

www.cavagnagroup.com