



# ***Report on Greenhouse Gas Emissions***

## ***Cavagna Group***

### ***Year 2023***

***According to UNI EN ISO 14064-1:2019 standard and GHG Protocol Corporate***

## INDEX

1	FOREWORD .....	3
1.1	<i>PRESENTATION OF THE GROUP</i> .....	3
1.2	<i>CLIMATE CHANGE: A CHALLENGE AND AN OPPORTUNITY</i> .....	3
1.3	<i>OUR COMMITMENT TO THE ENVIRONMENT</i> .....	4
2	PRINCIPLES.....	5
3	GHG INVENTORY DESIGN AND DEVELOPMENT .....	5
3.1	<i>ORGANIZATIONAL BOUNDARIES</i> .....	5
3.2	<i>OPERATIONAL BOUNDARIES</i> .....	6
4	QUANTIFICATION OF GHG EMISSIONS.....	7
4.1	<i>BASE-YEAR</i> .....	7
4.2	<i>EXCLUSION</i> .....	7
4.3	<i>QUANTIFICATION METHODOLOGY</i> .....	7
4.4	<i>EMISSION FACTORS</i> .....	8
4.5	<i>GWP</i> .....	8
5	GHG SOURCES .....	8
5.1	<i>GHG SOURCES AND INVENTORY</i> .....	8
6	GHG EMISSIONS .....	9
6.1	<i>ASSESSMENT OF UNCERTAINTY</i> .....	13
7	CONTACTS.....	13
8	ACRONYMS .....	14
	ANNEX 1 – EMISSION FACTORS.....	15

## 1 FOREWORD

### 1.1 PRESENTATION OF THE GROUP

For over 75 years, the Cavagna Group has been a global leader providing advanced, integrated solutions for processing, distributing, controlling and measuring all kinds of gases at all stages in various supply chains. It was founded in 1949 in northern Italy, near Brescia, an area long renowned for its metalworking industry. Today, the Group is made up of 9 vertically integrated production units in Italy and 8 other companies spread out across 5 continents and sells its products in more than 160 countries.

The Group now flanks its consolidated design and production business with an increasing commitment to the sustainable energy transition and digital transformation of the sectors it operates in, with a focus on developing IoT solutions and digitally controlled technologies. It thus remains true to its original mission — wherever gas fuels progress and life, Cavagna is there — and brings innovative solutions to the twin transition.

The current market positioning and supply organization of Cavagna Group is structured into seven fundamental production and market paths, which testify the Group's operational breadth and its wide-ranging commitment to the "glocal" logic: thinking globally and intervening with actions aimed at overseeing individual markets.

New investments have been progressively added to the original production sectors (gas regulation and control systems) which have led to an expansion of

the organizational structure and of the scenario of interest. The Group also moved through targeted acquisitions, implementing a configuration in various areas, synergistic for know-how and commercial potential.

An identity that today allows to cover all the technological needs connected to the use of gas, as the group's mission states: "Wherever gas is used we are there."

## 7 key focus areas



**LPG**  
Solutions



**COMPRESSED GASES**  
Solutions



**HEALTHCARE**  
Solutions



**NATURAL GAS**  
Solutions



**ALTERNATIVE FUELS**  
Solutions



**GAS METERING**  
Solutions



**INDUSTRIAL PROCESS**  
Management

### 1.2 CLIMATE CHANGE: A CHALLENGE AND AN OPPORTUNITY

Climate changes have been identified as one of the major challenges that nations, governments, economic systems and citizens will face in the coming decades. Climate changes have significant implications for both natural and human systems and can lead to a significant change in resource use, production processes and economic activities.

The main greenhouse gases (GHG: Greenhouse Gas) from anthropic activities as indicated in the Kyoto Protocol, are carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), nitrous oxide (N<sub>2</sub>O) and many fluorinated gases.

In this context with an environment oriented market, Cavagna Group has identified the GHG report as an opportunity to improve the knowledge about its emissions and related risks. Also, it is important to identify environmental impact areas in order to develop eco-solutions. This can lead to improved materials and energy efficiency, as well as the development of new products that can reduce greenhouse gas emissions.

### **1.3 OUR COMMITMENT TO THE ENVIRONMENT**



Cavagna Group has always considered environmental commitment as one of the main principles of society.

Therefore, in order to implement effective and active action focused on the protection of the environment, in addition to carrying out activities in compliance with Italian and Community environmental legislation, Cavagna Group has launched a series of actions to prevent, manage and reduce environmental impact.

The Cavagna Group's main plant in Calcinato has implemented an environmental management system certified to the ISO 14001 standard. Since 2024, the Calvisano site of the Cavagna Group, which designs, manufactures, controls and sells gas regulators and accessories, has also been ISO 14001 certified.

#### Use renewable energy sources

Cavagna Group employs renewable energy sources in some plants to minimize greenhouse gas emissions in order to prevent climate change, unanimously considering the most important global environmental challenges.

A photovoltaic generator was installed in the main plant. It covers the surface of the industrial structure roof of 3.080 m<sup>2</sup> with 2.468 high efficiency monocrystalline silicon modules.

The annual energy generated by the plant is little more than 12% of the average annual consumption of the structure.

Moreover, a cogeneration plant for the production of biomass energy (crude vegetable oil) has been installed, with a rated power of 420 kW (electric) and 380 kW (thermal), which produces about 3.15 GWh of electricity per year.

Heat is recovered from the cogeneration engine and used as a heat source to warm up the plant and cool it in summer thanks to an absorption group.

In 2024, the photovoltaic system was also implemented on the Omeca plant, with the installation of two new sectors with a total power of around 1.3 MW.

#### Reduction of energy consumption

The energy consumption of the Calcinato plant is constantly monitored to identify areas of improvement. To this end, some compressors have recently been replaced with other more efficient ones.

Furthermore, the lighting systems of the structure are equipped with energy saving dimmer and in some areas LED lamps have been installed.

## 2 PRINCIPLES

The study of greenhouse gas (GHG) emissions has been conducted in accordance with the principles of GHG Protocol Corporate - Specifications and guidance at the organization level for the quantification and reporting of greenhouse gas emissions and their removal.

### A) Relevance

The boundaries of the study reflect the economic reality of the Cavagna Group. The sources of greenhouse gas emissions from its companies have been identified and the relevant data for quantifying emissions has been collected.

### B) Completeness

All greenhouse gas emissions from group companies have been identified, including all greenhouse gases listed in Annex C to ISO 14064-1.

### C) Consistency

Data collection and calculation were based on the principle of consistency, so that information can be compared over the years.

Any changes to boundaries, methods or calculation factors will be justified and documented.

### D) Accuracy

The Cavagna Group has reduced data collection and calculation errors through internal controls and a specific procedure within its quality system. Audits were carried out on the collected data, with a positive result.

### E) Transparency

In the report, the inventory and all the information used for the calculation are transparently reported.

## 3 GHG INVENTORY DESIGN AND DEVELOPMENT

### 3.1 ORGANIZATIONAL BOUNDARIES

The organizational boundaries of the study include the following companies, based in various countries, belonging to the Cavagna Group:

- |                   |                  |                        |
|-------------------|------------------|------------------------|
| • Bigas           | • Cemco Kosangas | • NP                   |
| • CGE             | • CNA            | • Omeca                |
| • CGA             | • Congrif        | • Reca                 |
| • CG Brazil       | • Cori           | • Zhongshan            |
| • CGT             | • Kosan          | • Mesura               |
| • CGUK            | • KPAL           | • Repco                |
| • Mesura Metering | • Nirmal         | • Cavagna South Africa |

The study was carried out according to the “control approach”: the organization has accounted for all GHG emissions over which it has financial and operational control.

It is important to note that as of 2020, the company called GGI (Greengear Global) has been closed, which is why it no longer falls within the organisation's confines since the last carbon footprint.

All activities in the facilities within the organizational boundaries have been included in the analysis and accounting.

In some companies of Cavagna Group, data wasn't collected for the following reasons:

- Arusem: company without headquarters and staff;
- Cavagna Group Vietnam: company without production, rented premises for which the fee already includes only energy consumption
- Gazprom Gas Engine Systems LLC: because the control of the Cavagna Group is less than 50%
- Cavagna Group West Africa because it was acquired at the end of 2023 (no significant data)
- rLPG North America LLC because control if the Cavagna Group is less than 50%
- Zhongshan Cavagna Import Export Trade Co. Ltd is considered in the analysis of Zhongshan Cavagna Gas Control System Ltd
- Green LG Energy S.r.l. since the control of the Cavagna Group is less than 50 %
- Ecomotive Solutions S.r.l since control of the Cavagna Group is less than 50 %
- Mesura Metering Savaş Sanayi Ve Ticaret Anonim Şirketi: acquired at the end of 2023; production site not yet in operation.
- Kosangas Industrial S.p.A.: inactive company that has never carried out business operations.

Included in this analysis, as new companies in the group for which their valuation is reasonable, are:

- Repco Srl, which is involved in the design, contract management and manufacture, supply and service of gas, oil and air treatment plants and equipment for oil and gas, petrochemical and energy industries
- Cavagna Group South Africa, which deals in the distribution of gas control equipment and components.


### **3.2 OPERATIONAL BOUNDARIES**

The categories of GHG emissions provided by the protocol GHG are:

- Scope 1→ Direct GHG emissions: GHG emissions from sources within the organizational boundaries;
- Scope 2→ Energy indirect GHG emissions: GHG emissions from the generation of imported electricity, heat and steam;
- Scope 3→ Other indirect GHG emissions: GHG emissions from the products and services used by the organization, such as emissions from raw materials used, workers' mobility, etc.

The emissions considered in the present study are: Direct Emissions and Energy Indirect Emissions as defined in the following diagram (Scope 1 emissions and Scope 2 emissions).

Other indirect emissions are excluded from this study (Scope 3 emissions).



#### **LEGEND**



Organizational boundaries



Direct GHG emissions



Energy indirect GHG emissions

## **4 QUANTIFICATION OF GHG EMISSIONS**

### **4.1 BASE-YEAR**

The quantification of GHG emissions is related to the activities of the organization, according to the above-mentioned boundaries, from 01/01/2023 to 31/12/2023.

*Being the third year of data collection and quantification, the previous quantification for the year 2021 is taken as the reference year.*

### **4.2 EXCLUSION**

All sources within the organizational boundaries are included in the collection and quantification and therefore there are no exclusions.

### **4.3 QUANTIFICATION METHODOLOGY**

The calculation methodology is the following:

$$GHG\ emissions = Activity\ data * EF$$

where:

**GHG Emissions** is the quantification of GHG emissions from activity, expressed in terms of tons of CO<sub>2</sub> equivalent (tCO<sub>2</sub>e)

**Activity data** is the quantity, generated or used, that describes activity, expressed in terms of energy (J o MWh), mass (kg) or volume (m<sup>3</sup> o l)

**EF** Is the emission factor that can convert activity data into the resulting GHG emission, expressed in CO<sub>2</sub>e emitted per activity unit

The result of the calculation is expressed in tonnes of CO<sub>2</sub> equivalent (tCO<sub>2</sub> e).

All the greenhouse gases listed in Annex C of ISO 14064-1 are considered in the calculation.

As the first report is concerned, no changes to the quantification method are relevant.

#### **4.4 EMISSION FACTORS**

The emission factors used in the calculation and the related sources are listed in the Annex 1.

#### **4.5 GWP**

The calculation is done using the "IPCC 2013 GWP 100 years" evaluation method that uses the following characterization factors:

Chemical name	Formula	GWP 100 years
Carbon dioxide	CO <sub>2</sub>	1
Fossil methane	CH <sub>4</sub>	30
Biogenic methane	CH <sub>4</sub>	28
Nitrogen dioxide	N <sub>2</sub> O	265

The results of the study are expressed in kg of CO<sub>2</sub> equivalents per unit of product.

### **5 GHG SOURCES**

#### **5.1 GHG SOURCES AND INVENTORY**

The sources of GHG emissions of the Cavagna Group identified are as follows:

Source	Source of Data	Emission Category
Combustion of fuels in thermal power stations for heating working environments Combustion in process furnaces	Fuel purchase invoices	Direct
Vehicle fuel combustion	Estimates from the average annual cost of purchasing fuels and purchase invoices	
Refrigerant leaks from air conditioners	Handbooks Plant or estimates	
Use of acetylene for welding	Estimates	
Imported electricity	Electricity purchase invoices	Indirect energy
Combustion of rapeseed oil in a cogenerator for the production of electricity.	Fuel purchase invoices	Other indirect



Pellet combustion for heating.


Emission sources consist of central heating, used for heating the buildings, process furnaces, vehicles, welds, fluorinated gas conditioning systems.

Indirect emissions are related to the electricity from the grid used in offices and in various production processes.

Within the organizational boundaries there are no GHG absorbers.

## 6 GHG EMISSIONS


The Cavagna Group's greenhouse gas emissions, broken down by type, are as follows:




Emissions related to the purchase of consumed electricity predominate.

*Compared to 2021, both direct emissions and indirect emissions from energy consumption decreased by 5.3% and about 10.9%, respectively. In general, the figures for 2023 are therefore positive.*

Among the various GHG, carbon dioxide prevails, as shown in the following graph (direct + energy indirect GHG emissions):





Biogenic CO2 emissions from biomass (rapeseed oil and pellets), which were not taken into account in the previous values because the same amount of carbon dioxide is absorbed during biomass growth, are just over a fifth of fossil emissions:



Among the various companies in the group, the plants with higher GHG emissions are

- Cori 1309 tCO2e
- Omeca 1771 tCO2e
- Cemco Kosangas 1162 tCO2e
- CGA 2018 tCO2e



In the calculation of emissions from Omeca, it is not considered the environmental benefit deriving from the electricity produced in the rapeseed oil cogenerator, as this is sold to the national grid and does not go into self-


consumption. The environmental advantage deriving from the self-consumption of electricity produced by photovoltaic panels has been considered.

There is no significant change from the previous assessment for the year 2021.


*In general, there is a slight overall decrease in emissions for a large proportion of the companies in the group under study, or alternatively, the figures are in line with the last assessment.*

*On the other hand, the following are significant in terms of emissions:*

- *Cemco Kosangas: a considerable drop in indirect emissions from power purchase resulting from the fact that there was a significant and impactful drop in OPD valve production for the US.*



Finally, the total greenhouse gas emissions of the group were compared with those 'avoided' by the electricity production systems in the group's companies (vegetable oil cogenerators and photovoltaic panels). The calculation was made by multiplying the electricity produced by the grid emission factor of the country of production.



NOTE: at the moment no indicators for greenhouse gas emissions were introduced; it will be evaluated whether to introduce them during the next updates of the study.

### 6.1 ASSESSMENT OF UNCERTAINTY

The results of a greenhouse gas emissions study are always affected by a margin of uncertainty. Each source of data was associated the following uncertainty in order to assess the overall uncertainty

Source	Data sources	Uncertainty
Combustion of fuels	Fuel purchase invoices	2% for natural gas 5% For other fuels where consumption is calculated by estimating stocks at the beginning and at the end of the year
Combustion of fuel for road transport vehicles	Estimates from the average annual cost of purchasing fuels and purchase invoices	20%
Losses of greenhouse gas coolers from air conditioning systems	Plant Handbooks or estimates	20%
Use of acetylene for welding	Estimates	20%
Greenhouse gas emissions from the produced electricity bought by the net	Electricity purchase invoices	2% because there are tax measuring instruments

The overall uncertainty of the study is 3%, less than 10%.

## 7 CONTACTS

Omeca's Environmental Management Function (FGA) is responsible for collecting data and editing this report. It uses the collaboration of quality (or environment) companies representatives involved in the analysis whose contacts are available in the organization charts.

Each unit, at the express request of Omeca's environmental management function, provides data on its own company so that this document can be developed.

## **8 ACRONYMS**

<b>CO<sub>2</sub></b>	Carbon dioxide
<b>CH<sub>4</sub></b>	Methane
<b>N<sub>2</sub>O</b>	Nitrogen dioxide
<b>CO<sub>2</sub>e</b>	CO <sub>2</sub> equivalent
<b>EF</b>	Emission factor
<b>GHG</b>	Greenhouse Gas

## ANNEX 1 – EMISSION FACTORS

The emission factors used in the calculation and the related sources are shown in the following tables.

Stationary combustion			
Fuels	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
Natural gas (Italy)	1,995 kg CO <sub>2</sub> /mc [1]	0,24 kg CH <sub>4</sub> /t [2]	0,0048 kg N <sub>2</sub> O/t [2]
Natural gas (worldwide data)	2692,8 kg CO <sub>2</sub> /t Density: 0,7 kg/mc at 0°C [2]		
LPG (Italy)	3024 kg CO <sub>2</sub> /t [1]	0,2365 kg CH <sub>4</sub> /t [2]	0,00473 kg N <sub>2</sub> O/t [2]
LPG (worldwide data)	2984,63 kg CO <sub>2</sub> /t [2]		
diesel – worldwide data	3186,3 kg CO <sub>2</sub> /t [2]	0,43 kg CH <sub>4</sub> /t [2]	0,0258 kg N <sub>2</sub> O/t [2]
Crude oil – worldwide data	3100,59 kg CO <sub>2</sub> /t [2]	0,423 kg CH <sub>4</sub> /t [2]	0,02538 kg N <sub>2</sub> O/t [2]
Pellet	1747,2 kg CO <sub>2</sub> /t [2] Biogenic CO <sub>2</sub>	4,68 kg CH <sub>4</sub> /t [2]	0,0624 kg N <sub>2</sub> O/t [2]
Rapeseed oil	2181,04 kg CO <sub>2</sub> /t [2] Biogenic CO <sub>2</sub>	0,274 kg CH <sub>4</sub> /t [2]	0,01644 kg N <sub>2</sub> O/t [2]

[1] ISPRA - Inventario nazionale italiano UNFCCC anno 2015

[2] GHG protocol - Emission Factors from Cross Sector Tools April 2014 – Stationary Combustion

Transport fuel use			
Fuel	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
Petrol	2,27 kg CO <sub>2</sub> /l [3]	0,0001 kg CH <sub>4</sub> /l [3]	0,0000 kg N <sub>2</sub> O/l [3]
Diesel	2,68 kg CO <sub>2</sub> /l [3]	0,0000 kg CH <sub>4</sub> /l [3]	0,0000 kg N <sub>2</sub> O/l [3]
LPG	1,61 kg CO <sub>2</sub> /l [3]	0,0002 kg CH <sub>4</sub> /l [3]	0,0003 kg N <sub>2</sub> O/l [3]
Natural gas	2,67 kg CO <sub>2</sub> /kg [3]	0,5970 kg CH <sub>4</sub> /kg [4]	0,0405 kg N <sub>2</sub> O/kg [4]

[3] GHG protocol - Emission Factors from Cross Sector Tools April 2014 – Transport fuel – other region

[4] UK government - Greenhouse gas reporting - Conversion factors 2016 -  
<https://www.gov.uk/government/publications/greenhouse-gas-reporting-conversion-factors-2016>

Refrigerant gas	
HFC 410 A	50% R32 and 50% R125 [5]

[5] Gas stoichiometric composition

Welding	
Acetylene	3,38 kg CO <sub>2</sub> /kg [5]
CO <sub>2</sub>	1 kg CO <sub>2</sub> /kg

[5] Gas stoichiometric composition

Electricity emission factors			
Country	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
Italy	325,2 g CO <sub>2</sub> /kWh [6]	0,21% CO <sub>2</sub> emissions [6]	0,50% CO <sub>2</sub> emissions [6]
UK	348,9 g CO <sub>2</sub> /kWh [7]	0,18% CO <sub>2</sub> emissions [7]	0,60% CO <sub>2</sub> emissions [7]
Francia	34,8 g CO <sub>2</sub> /kWh [8]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]
Portogallo	359,5 g CO <sub>2</sub> /kWh [8]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]
Brasile	158,1 g CO <sub>2</sub> /kWh [9]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]
Cile	614 g CO <sub>2</sub> /kWh [9]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]
Cina	895,5 g CO <sub>2</sub> /kWh [9]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]
India	903 g CO <sub>2</sub> /kWh [9]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]
Tailandia	569 g CO <sub>2</sub> /kWh [9]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]
Turchia	472 g CO <sub>2</sub> /kWh [10]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]
USA	343,9 g CO <sub>2</sub> /kWh [12]	0,01% CO <sub>2</sub> emissions [12]	0,31% CO <sub>2</sub> emissions [12]
Venezuela	208 g CO <sub>2</sub> /kWh [11]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]
Vietnam	777,7 g CO <sub>2</sub> /kWh [9]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]
South Africa	1069,02 g CO <sub>2</sub> /kWh [9]	0,18% CO <sub>2</sub> emissions [13]	0,60% CO <sub>2</sub> emissions [13]



[6] ISPRA- Fattori di emissione atmosferica di CO<sub>2</sub> e altri gas a effetto serra nel settore elettrico 257/2017 -  
 Tabella 2.4 Dato produzione – dati anno 2017; tabella 2.12 altri gas anno 2016

[7] UK Government - GHG Conversion Factors for Company Reporting -2017

[8] UE- <http://www.eea.europa.eu/data-and-maps/indicators/overview-of-the-electricity-production-2/assessment>

[9] List of Grid Emission Factors - <https://pub.iges.or.jp/pub/list-grid-emission-factor>

[10] DEFRA - 8th October 2014 Guidelines for DEFRA/DECC's GHG - Conversion Factors for Company Reporting.

[11] ECOMETRICA - Technical Paper | Electricity-specific emission factors for grid electricity - August 2011  
<https://ecometrica.com/assets/Electricity-specific-emission-factors-for-grid-electricity.pdf>

[12] EPA - <https://www.epa.gov/climateleadership/center-corporate-climate-leadership-ghg-emission-factors-hub>

[13] In the absence of data on CH<sub>4</sub> and N<sub>2</sub>O emissions from electricity generation in other countries, the same percentage of UK

The specified emission factors refer only to emissions related to electricity generation and do not include distribution and transformation losses, classified as "other indirect emissions".